



ROCKROOSTER BUILT FOR COMFORT

FALL 2025 WORK BOOK



WORK BOOTS





AP9951

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
 - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant nubuck leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PU footbed
- **Technology:**
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2892-18 EH Standards

LAST 7105

HEIGHT 6"



AP9952

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
 - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant nubuck leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PU footbed
- **Technology:**
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2413-18 I/75 C/75 EH Standards

LAST 7105

HEIGHT 6"

**AK050****Sizes: 4-15 [½ 7.5-11.5]**

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
 - TPU oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant nubuck leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828**HEIGHT 5"****AK050BK****Sizes: 4-15 [½ 7.5-11.5]**

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
 - TPU oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant full-grain leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828**HEIGHT 5"**



AK222

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
 - TPU oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant nubuck leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828

HEIGHT 6"

AK227

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
 - TPU oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant full-grain leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828

HEIGHT 6"



AK227NT

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
 - TPU oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant full-grain leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2892-18 SD Standards

LAST 828

HEIGHT 6"



AK224

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Nylon shank
- **Outsole:**
 - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2892-18 EH Standards

LAST 828

HEIGHT 6"



AK232

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
 - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant nubuck leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828

HEIGHT 7"



AK245

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
 - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant full-grain leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828

HEIGHT 7"



AK232Z

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
 - TPU oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant nubuck leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828

HEIGHT 7"



AK245Z

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
 - TPU oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant full-grain leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828

HEIGHT 7"



AK303

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
 - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant oiled full grain tumbled leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2892-18 EH Standards

LAST 828

HEIGHT 6"

AK323

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
 - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant oiled full grain tumbled leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2413-18 I/75 C/75 EH Standards

LAST 828

HEIGHT 6"



VAK370

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
 - Vibram® outsole offers superior durability and traction
- **Upper:**
 - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2413-18 I/75 C/75 EH Standards

LAST 828

HEIGHT 6"



VAK371

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
 - Vibram® outsole offers superior durability and traction
- **Upper:**
 - Durable, water resistant oiled full grain tumbled leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2892-18 EH Standards

LAST 828

HEIGHT 6"



VAK372

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
 - Vibram® outsole offers superior durability and traction
- **Upper:**
 - Durable, water resistant oiled full grain tumbled leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2413-18 I/75 C/75 EH Standards

LAST 828

HEIGHT 6"



VAK373

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
 - Vibram® outsole offers superior durability and traction
- **Upper:**
 - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2892-18 EH Standards

LAST 828

HEIGHT 6"



AK426

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
 - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828

HEIGHT 6"



AK428

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
 - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828

HEIGHT 8"



AK436

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
 - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2892-18 EH Standards

LAST 828

HEIGHT 6"



AK609

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Composite toe
- **Shank:** Nylon shank
- **Outsole:**
 - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828B

HEIGHT 6"



AK639

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Nylon shank
- **Outsole:**
 - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2892-18 EH Standards

LAST 828B

HEIGHT 6"

AK639 Insulate

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Nylon shank
- **Outsole:**
 - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2892-18 EH Standards

LAST 828B

HEIGHT 6"



AK669

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Composite toe
- **Shank:** Nylon shank
- **Outsole:**
 - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2413-18 I/75 C/75 EH Standards

LAST 828B

HEIGHT 6"

AK669 Insulate

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Composite toe
- **Shank:** Nylon shank
- **Outsole:**
 - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2413-18 I/75 C/75 EH Standards

LAST 828B

HEIGHT 6"



AK869

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Composite toe
- **Shank:** Nylon shank
- **Outsole:**
 - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2413-18 I/75 C/75 EH Standards

LAST 828B

HEIGHT 8"



WEDGE



**VAP360**
Sizes: 4-15 【1/2 7.5-11.5】

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
 - Vibram® outsole offers superior durability and traction
- **Upper:**
 - Durable, water resistant oiled full grain tumbled leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2892-18 EH Standards

LAST 84992D**HEIGHT 6"****VAP360 II**
Sizes: 4-15 【1/2 7.5-11.5】

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
 - Vibram® outsole offers superior durability and traction
- **Upper:**
 - Durable, water resistant oiled full grain tumbled leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2892-18 EH Standards

LAST 84992D**HEIGHT 6"**



VAP808

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
 - Vibram® outsole offers superior durability and traction
- **Upper:**
 - Durable, water resistant oiled full grain tumbled leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2892-18 EH Standards

LAST 6155

HEIGHT 6"



VAP828

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Composite toe
- **Shank:** Steel shank
- **Outsole:**
 - Vibram® outsole offers superior durability and traction
- **Upper:**
 - Durable, water resistant oiled full grain tumbled leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2413-18 I/75 C/75 EH PR Standards

LAST 6155

HEIGHT 6"



VAP838

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
 - Vibram® outsole offers superior durability and traction
- **Upper:**
 - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2892-18 EH Standards

LAST 84992D

HEIGHT 6"



VAP858

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
 - Vibram® outsole offers superior durability and traction
- **Upper:**
 - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2413-18 I/75 C/75 EH Standards

LAST 84992STD

HEIGHT 6"



VAP611

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
 - Vibram® outsole offers superior durability and traction
- **Upper:**
 - Durable, water resistant oiled full grain tumbled leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2892-18 EH Standards

LAST 611M

HEIGHT 7"



VAP615

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Steel shank
- **Outsole:**
 - Vibram® outsole offers superior durability and traction
- **Upper:**
 - Durable, water resistant oiled full grain tumbled leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2892-18 EH Standards

LAST 6155

HEIGHT 6"



VAP621

Sizes: 4-15 [½ 7.5-11.5]

- **Toe Type:** Steel toe
- **Shank:** Steel shank
- **Outsole:**
 - Vibram® outsole offers superior durability and traction
- **Upper:**
 - Durable, water resistant oiled crazy horse leather upper
- **Lining:**
 - COOLMAX® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2413-18 I/75 C/75 EH Standards

LAST 84992STD

HEIGHT 7"



A man wearing a red and black plaid shirt, khaki pants, a grey baseball cap, and a smartwatch is crouching on a log in a desert environment, tying his black hiking shoes. The background shows dry grass and rocks under warm, golden light.

HIKING



KS252

Sizes: 8-14 【1/2 7.5-11.5】

- **Shank:** Nylon shank
- **Outsole:**
 - Goodyear® oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant nubuck leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance

LAST LM14

HEIGHT 4"

KS253

Sizes: 8-14 【1/2 7.5-11.5】

- **Shank:** Nylon shank
- **Outsole:**
 - Goodyear® oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant nubuck leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance

LAST LM14

HEIGHT 4"



KS257

Sizes: 8-14 【1/2 7.5-11.5】

- **Shank:** Nylon shank
- **Outsole:**
 - Goodyear® oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant nubuck leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance

LAST LM14

HEIGHT 6"



KS258

Sizes: 8-14 【1/2 7.5-11.5】

- **Shank:** Nylon shank
- **Outsole:**
 - Goodyear® oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant nubuck leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance

LAST LM14

HEIGHT 6"



KS5514

Sizes: 7-15 【½ 7.5-11.5】

- **Shank:** Nylon shank
- **Outsole:**
 - Goodyear® oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant suede leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance

LAST LM14

HEIGHT 4"



KS5516

Sizes: 7-15 【½ 7.5-11.5】

- **Shank:** Nylon shank
- **Outsole:**
 - Goodyear® oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant suede leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance

LAST LM14

HEIGHT 6"

**KS5534****Sizes: 7-15 [½ 7.5-11.5]**

- **Shank:** Nylon shank
- **Outsole:**
 - Goodyear® oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant suede leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance

LAST LM14

HEIGHT 4"

**KS5536****Sizes: 7-15 [½ 7.5-11.5]**

- **Shank:** Nylon shank
- **Outsole:**
 - Goodyear® oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant suede leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance

LAST LM14

HEIGHT 6"

**KS535****Sizes: 7-14** 【½ 7.5-11.5】

- **Shank:** Nylon shank
- **Outsole:**
 - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant suede leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance


LAST LM12**HEIGHT 6"****KS537****Sizes: 7-14** 【½ 7.5-11.5】

- **Shank:** Nylon shank
- **Outsole:**
 - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant suede leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance

LAST LM12**HEIGHT 6"**

**KS735****Sizes: 7-14 [½ 7.5-11.5]**

- **Shank:** Nylon shank
- **Outsole:**
 - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant suede leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance

LAST LM12**HEIGHT 8"****KS737****Sizes: 7-14 [½ 7.5-11.5]**

- **Shank:** Nylon shank
- **Outsole:**
 - Rubber oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant suede leather upper
- **Lining:**
 - HYDROGUARD® hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance

LAST LM12**HEIGHT 8"**



VK10825

Sizes: 7-13 [½ 7.5-11.5]

- **Shank:** Steel shank
- **Outsole:**
 - Vibram® outsole offers superior durability and traction
- **Upper:**
 - Durable, water resistant full-grain leather upper
- **Lining:**
 - ROOF-TEX hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance

LAST RS-08

HEIGHT 6"



VK10820

Sizes: 7-13 [½ 7.5-11.5]

- **Shank:** Steel shank
- **Outsole:**
 - Vibram® outsole offers superior durability and traction
- **Upper:**
 - Durable, water resistant full-grain leather upper
- **Lining:**
 - ROOF-TEX hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance

LAST RS-08

HEIGHT 6"

A man with extensive tattoos on his arms and legs is crouching on a paved surface next to a black motorcycle. He is wearing a white and grey baseball cap, a black tactical vest over a light-colored t-shirt, and black pants with a large tear on the right knee. He is tying the laces of a brown tactical boot. The motorcycle has a large round headlight and a black frame. The background shows green foliage and a clear sky.

TACTICAL



CORDURA®
Advanced Fabrics

poronXrd | extreme
impact
protection

COMFORT MEMO®
ANTI-FATIGUE TECHNOLOGY

GOODYEAR

AB5010

Sizes: 7-14 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Nylon shank
- **Outsole:**
 - Goodyear® oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant suede leather upper
- **Lining:**
 - Hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance

LAST LM20

HEIGHT 8"



CORDURA®
Advanced Fabrics

poronXrd | extreme
impact
protection

COMFORT MEMO®
ANTI-FATIGUE TECHNOLOGY

GOODYEAR

AB5013

Sizes: 7-14 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Nylon shank
- **Outsole:**
 - Goodyear® oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, water resistant full grain leather upper
- **Lining:**
 - Hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance

LAST LM20

HEIGHT 8"



CORDURA®
Advanced Fabrics

poronXrd | extreme
impact
protection

COMFORT MEMO®
ANTI-FATIGUE TECHNOLOGY

GOODYEAR

AB7010

Sizes: 7-14 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Nylon shank
- **Outsole:**
- Goodyear® oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
- Durable, water resistant suede leather upper
- **Lining:**
- HYDROGUARD® hygroscopic, breathable lining
- Waterproof, moisture-wicking lining
- **Footbed:**
- Cushioning PORON XRD® footbed
- **Technology:**
- XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- COMFORT MEMO® offers anti-fatigue performance

LAST LM20

HEIGHT 8"



CORDURA®
Advanced Fabrics

poronXrd | extreme
impact
protection

COMFORT MEMO®
ANTI-FATIGUE TECHNOLOGY

GOODYEAR

AB7013

Sizes: 7-14 [½ 7.5-11.5]

- **Toe Type:** Soft toe
- **Shank:** Nylon shank
- **Outsole:**
- Goodyear® oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
- Durable, water resistant full grain leather upper
- **Lining:**
- HYDROGUARD® hygroscopic, breathable lining
- Waterproof, moisture-wicking lining
- **Footbed:**
- Cushioning PORON XRD® footbed
- **Technology:**
- XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- COMFORT MEMO® offers anti-fatigue performance

LAST LM20

HEIGHT 8"



WELLINGTON BOOTS



PG1106

Sizes: 8-13

- **Toe Type:** Composite toe
- **Outsole:**
 - BASF Polyurethane oil-and-slip-resistant outsole for enhanced traction
- **Upper:**
 - Durable, waterproof BASF Polyurethane upper
- **Lining:**
 - COOLMAX® Eco Made hygroscopic, breathable lining
 - Waterproof, moisture-wicking lining
- **Footbed:**
 - Cushioning PORON XRD® footbed
- **Technology:**
 - XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
 - COMFORT MEMO® offers anti-fatigue performance
- **Safety Rating:**
 - Meets ASTM F2413-18 I/75 C/75 EH PR Standards

LAST LP-2

HEIGHT 12"





Stella Wang



+86-18721212928 (wechat/whatsapp)



Room D303, No. 159 Tangziyan Road, Hangzhou, Zhejiang, China



stella@rockroosterwholesale.com



<https://rockroosterwholesale.com>

*Creating great products
and Create a pleasant lifestyle.*

